

The RedStart Company
7136 S. Indianapolis Ave
Tulsa, OK 74136
(888) 690-8558



Model	FS-1320D	FS-1370DN	FS-2100DN	FS-4100DN	FS-4200DN	FS-4300DN	FS-9530DN
Output Color	Monochrome	Monochrome	Monochrome	Monochrome	Monochrome	Monochrome	Monochrome
Maximum Speed	37 Letter / 30 Legal	37 Letter / 30 Legal	42 Letter, 33 Legal	47 Letter, 38 Legal	52 Letter, 42 Legal	62 Letter, 50 Legal	51 Letter, 31 Legal, 26 Ledger
Processor	PowerPC405F5/360 MHz	PowerPC440F5/500 MHz	PowerPC465/750 MHz	PowerPC465/750 MHz	PowerPC465/750 MHz	PowerPC465/750 MHz	PowerPC750FL 600 MHz
Resolution	Fine 1200 Mode (1200 x 1200 dpi), Fast 1200 Mode (1800 x 600 dpi), 600 x 600 dpi, 300 x 300 dpi	Fine 1200 Mode (1200 x 1200 dpi), Fast 1200 Mode (1800 x 600 dpi), 600 x 600 dpi, 300 x 300 dpi	Fine 1200 mode (1,200 x 1,200 dpi), Fast 1200 mode (600 x 600 dpi multi pit), 600 x 600 dpi, 300 x 300 dpi	Fine 1200 mode (1,200 x 1,200 dpi), Fast 1200 mode (600 x 600 dpi multi pit), 600 x 600 dpi, 300 x 300 dpi	Fine 1200 mode (1,200 x 1,200 dpi), Fast 1200 mode (600 x 600 dpi multi pit), 600 x 600 dpi, 300 x 300 dpi	Fine 1200 mode (1,200 x 1,200 dpi), Fast 1200 mode (600 x 600 dpi multi bit), 600 x 600 dpi, 300 x 300 dpi	600 x 600 DPI; Fast 1200 Print Mode; 300 x 300 DPI
First Page Out	<7 sec.	<7 sec.	<9 sec.	<9 sec.	<9 sec.	<9 sec.	<4 sec.
Max. Mthly Duty Cycle	50,000 pages	50,000 pages	150,000 pages	200,000 pages	250,000 pages	275,000 pages	300,000 Pages
Std. / Max. Memory	32MB / 544 MB	128MB / 1152MB	256MB / 1280MB	256MB / 1280MB	256MB / 1280MB	256MB / 1280MB	128MB / 640MB
Optional HDD	N/A	N/A	HD-6 SSD	HD-6 SSD	HD-6 SSD	HD-6 SSD	Hard Disk Drive
Control Panel	LED	LCD Display	LCD Display	LCD Display	LCD Display	LCD Display	LCD Display
Emulations	PRESCRIBE, PCL6 (PCL XL, PCL5e), KPDL3 (PS3), Diablo 630, IBM ProPrinter X24, Epson LQ850, Line Printer	PRESCRIBE, PCL6 (PCL XL, PCL5e), KPDL3 (PS3), Diablo 630, IBM ProPrinter X24, Epson LQ850, Line Printer	PRESCRIBE, PCL6 (PCL5e/PCLXL,PCL5c), KPDL3, Line Printer, IBM Proprinter X24E, EPSON LQ850, Line Printer	PRESCRIBE, PCL6 (PCL5e/PCLXL,PCL5c), KPDL3, Line Printer, IBM Proprinter X24E, EPSON LQ850, Line Printer	PRESCRIBE, PCL6 (PCL5e/PCLXL,PCL5c), KPDL3, Line Printer, IBM Proprinter X24E, EPSON LQ850, Line Printer	PRESCRIBE, PCL6 (PCL5e/PCLXL,PCL5c), KPDL3, Line Printer, IBM Proprinter X24E, EPSON LQ850, Line Printer	PRESCRIBE, PCL6 (PCL XL,PCL 5e), KPDL3 (PS3), KCGI (HP-GL/2), Diablo 630, IBM ProPrinter X24, Epson LQ850, Line Printer
Interface(s)	Standard Hi-Speed USB v2.0	Standard 10/100BaseTX Network Interface, Full-Speed USB v2.0, Full USB Host Printing	Standard 10/100/1000BaseTX, High Speed USB 2.0, e-KUIO, USB-Host x2	Standard 10/100/1000BaseTX, High Speed USB 2.0, e-KUIO, USB-Host x2	Standard 10/100/1000BaseTX, High Speed USB 2.0, e-KUIO, USB-Host x2	Standard 10/100/1000BaseTX, High Speed USB 2.0, e-KUIO, USB-Host x2	Standard Bi-Directional IEEE 1284 Parallel, Full-Speed USB v2.0, Standard 10/100BaseTX Network Interface, Full USB Host Printing
Additional Interface(s)	Optional IB-23 10/100BaseTX Secure NIC	KUIO LV Enhancement Slot (1)	Optional IB 51 Wireless NIC Optional IB 50 Gigabit NIC Optional IB 32 Parallel IEEE	Optional IB 51 Wireless NIC Optional IB 50 Gigabit NIC Optional IB 32 Parallel IEEE	Optional IB 51 Wireless NIC Optional IB 50 Gigabit NIC Optional IB 32 Parallel IEEE	Optional IB 51 Wireless NIC Optional IB 50 Gigabit NIC Optional IB 32 Parallel IEEE	Optional IB-23 10/100BaseTX Secure NIC
Standard Paper Source	250 x 1	250 x 1	500 x 1	500 x 1	500 x 1	500 x 1	500 x 2
Multi Purpose Tray	50	50	100	100	100	100	200
Max Paper	800	800	2,600	2,600	2,600	2,600	4,200
Duplex	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Paper Sizes	Letter, Legal, Custom	Letter, Legal, Custom	Letter, Legal, Custom	Letter, Legal, Custom	Letter, Legal, Custom	Letter, Legal, Custom	Letter, Legal, Ledger, Custom
Paper Weights: Drawer	16-28 lb.	16-28 lb.	16-32 lb.	16-32 lb.	16-32 lb.	16-32 lb.	16-28 lb.
Paper Weights: MPT	16-120 lb.	16-120 lb.	16-120 lb.	16-120 lb.	16-120 lb.	16-120 lb.	13-110 lb.
Options	PF-100 250 Sheet Paper Drawer (up to two additional), Compact Flash Card	PF-100 250 Sheet Paper Drawer (up to two additional), Compact Flash Card	PF-320 500 Sheet Paper Feeder (max 4), Bulk Feeder (PF-315+), Data Security Kit (E) Card Authentication Kit (B)	PF-320 500 Sheet Paper Feeder (max 4), Bulk Feeder (PF-315+), Data Security Kit (E) Card Authentication Kit (B)	PF-320 500 Sheet Paper Feeder (max 4), Bulk Feeder (PF-315+), Data Security Kit (E) Card Authentication Kit (B)	PF-320 500 Sheet Paper Feeder (max 4), Bulk Feeder (PF-315+), Data Security Kit (E) Card Authentication Kit (B)	Cassettes (PF-700), Large Capacity Tray (PF-750), Finisher (DF-710), Simple Finisher (DF-730), Booklet Folder (BF-710), Punch Unit (PH-5A), Multi Tray Unit (MT-710),HD-ME5 Hard Drive Unit, Compact Flash Card
Warranty	1 Year Return to Depot	1 Year Return to Depot	1 Year Return to Depot	1 Year Onsite	1 Year Onsite	1 Year Onsite	1 Year Onsite
Toner Yield – 5%	7,200 Prints	7,200 Prints	12,500 Prints	15,500 Prints	21,000 Prints	25,000 Prints	40,000 Prints
Maintenance Kit Cycle	100,000 prints	100,000 prints	300,000 prints	500,000 Prints	500,000 Prints	500,000 Prints	500,000 Prints
Size (W x D x H)	14.8"W x 15.5"D x 10.5"H	14.8"W x 15.5"D x 10.5"H	15.35"W x 16.14"D x 11.22"H	15.35"W x 16.14"D x 12.6"H	15.35"W x 16.14"D x 12.6"H	15.35"W x 16.14"D x 12.6"H	23.6"W x 25.4"D x 24.2"H
Weight (lbs.)	27	27	30	32	32	32	150

The RedStart Company
7136 S. Indianapolis Ave
Tulsa, OK 74136
(888) 690-8558



Model	FS-C5150DN	FS-C5250DN	FS-C5350DN	FS-C5400DN	FS-C8650DN
Output Color	Color	Color	Color	Color	Color
Maximum Speed	23/23 Letter, 18/18 Legal	28/28 Letter, 23/23 Legal	32/32 Letter, 26/26 Legal	37/37 Letter, 30/30 Legal	55/50 Letter, 21/21 Legal, 27/25 Ledger
Processor	PowerPC464 667 MHz	PowerPC464 667 MHz	PowerPC750 600 MHz	PowerPC750CL 733 MHz	PowerPC750GL 750 MHz
Resolution	600 x 600 DPI, 9,600 x 600 multi-bit interpolated	600 x 600 DPI, 9,600 x 600 multi-bit interpolated	600 x 600 DPI, 9,600 x 600 multi-bit interpolated	600 x 600 DPI, 9,600 x 600 multi-bit interpolated	600 x 600 DPI / 8 bit color depth interpolated
First Page Out	Black – 10.5 sec. Color – 12 sec.	Black – 9 sec. Color – 10.5 sec.	Black – 8.5 sec. Color – 10 sec.	Black – 8 sec. Color – 9 sec.	Black – 4.9 sec. Color – 6.2 sec.
Max. Mthly Duty Cycle	50,000 Pages	65,000 Pages	140,000 Pages	150,000 Pages	225,000 Pages
Std. / Max. Memory	256MB / 1280MB	256MB / 1280MB	256MB / 1280MB	256MB / 1280MB	1GB / 2GB
Optional HDD	N/A	Hard Disk Drive	Hard Disk Drive	Hard Disk Drive	160GB Hard Drive Standard
Control Panel	LCD Display	LCD Display	LCD Display	LCD Display	LCD Display
Emulations	PRESCRIBE, KPDL3 (PS3), PCL 6 (PCL 5c, PCL XL), XPS	PRESCRIBE, KPDL3 (PS3), PCL 6 (PCL 5c, PCL XL), XPS	PRESCRIBE, KPDL3 (PS3), PCL 6 (PCL 5c, PCL XL), XPS	PRESCRIBE, KPDL3 (PS3), PCL 6 (PCL 5c, PCL XL), XPS	PRESCRIBE, KPDL3 (PS3), PCL 6 (PCL 5c, PCL XL), XPS Optional Emulations – UG-34 IBM ProPrinter, Diablo 630, LQ-850
Interface(s)	Standard 10/100BaseTX, High Speed USB v2.0, USB Host Interface	Standard 10/100BaseTX, High Speed USB v2.0, USB Host Interface	Standard 10/100BaseTX, High Speed USB v2.0, USB Host Interface	Standard 10/100BaseTX, High Speed USB v2.0, USB Host Interface	Standard 10/100/1000BaseTX, High Speed USB v2.0, eKUIO
Additional Interface(s)	KUIO LV Enhancement Slot (1)	KUIO LV Enhancement Slot (1)	KUIO LV Enhancement Slot (1)	KUIO LV Enhancement Slot (1)	Optional 1B 51 Wireless NIC Optional 1B 50 Gigabit NIC
Standard Paper Source	250 x 1	500 x 1	500 x 1	500 x 1	500 x 2
Multi Purpose Tray	50	50	150	150	150
Max Paper	1,300	2,050	2,150	2,650	7,650
Duplex	Automatic	Automatic	Automatic	Automatic	Automatic
Paper Sizes	Letter, Legal, Custom	Letter, Legal, Custom	Letter, Legal, Custom	Letter, Legal, Custom	Letter, Legal, Ledger, Custom
Paper Weights: Drawer	16-43 lb.	16-43 lb.	16-28 lb.	16-28 lb.	16-140 lb
Paper Weights: MPT	16-120 lb	16-120 lb	16-120 lb	16-120 lb	16-110 lb Cover
Options	PF-520/530 Paper Drawer (max 2) Compact Flash Card	PF-520/530 Paper Drawer (max 3), HD-5A Hard Drive Unit, Compact Flash Card	PF-500/510 Paper Drawer (max 3), CA-500 Caster Kit, HD-5A Hard Drive Unit, Compact Flash Card	PF-500/510 Paper Drawer (max 4), CA-500 Caster Kit, HD-5A Hard Drive Unit, Compact Flash Card	PF-730 Dual 500 Sheet Trays, PF-740 Dual 1,500 Sheet Trays, PF-770 3,000 Sheet LCT, PF-780 500 Sheet Multimedia Tray, DF-770(B) 1,000 Sheet Finisher, DF-790(B) 4,000 Sheet Finisher, MT-730(B) Mailbox Unit, PH-7A Hole Punch Unit, BF-730 Booklet Folder Unit, Data Security Kit (E), Card Authentication Kit (B)
Warranty	1 Year Onsite	1 Year Onsite	1 Year Onsite	1 Year Onsite	1 Year Onsite
Toner Yield – 5%	Black - 3,500 Prints Colors – 2,800 Prints	Black - 7,000 Prints Colors – 5,000 Prints	Black - 12,000 Prints Colors – 10,000 Prints	Black - 16,000 Prints Colors – 12,000 Prints	Black – 30,000 Prints Colors – 20,000 Prints
Maintenance Kit Cycle	200,000 Prints	200,000 Prints	200,000 Prints	300,000 Prints	600,000 Prints – Drum/Developer(s) 300,000 Prints – Fuser
Size (W x D x H)	15.4" W x 20.6" D x 14.6" H	15.4" W x 20.6" D x 15.7" H	13.6" W x 20.4" D x 18.9" H	13.6" W x 20.4" D x 20.1" H	26.46" W x 31.0" D x 29.29" H
Weight (lbs.)	65	67	65	78	245

The RedStart Company
7136 S. Indianapolis Ave
Tulsa, OK 74136
(888) 690-8558



Model	FS-1035 MFP/1135 MFP	FS-3140 MFP+	FS-3540 MFP	FS-3640 MFP	FS-6525 MFP	FS-6530 MFP
Output Color	Mono (Copy, Print) – 1035MFP Mono (Copy, Print, Fax) – 1135MFP Color (Scan)	Mono (Copy, Print, Fax) Color (Scan)	Mono (Copy, Print) Color (Scan)	Mono (Copy, Print, Fax) Color (Scan)	Mono (Copy, Print, Fax) Color (Scan)	Mono (Copy, Print, Fax) Color (Scan)
Maximum Speed	37 Letter / 30 Legal	42 Letter / 33 Legal	42 Letter / 33 Legal	42 Letter / 33 Legal	25 Letter / 12 Legal	30 Letter / 15 Legal
Processor	PowerPC440/667 MHz	PowerPC440/667 MHz	PowerPC464/800 MHz	PowerPC464/800 MHz	PowerPC464/800 MHz	PowerPC464/800 MHz
Resolution	Fine 1200 Mode (1200 x 1200 dpi), Fast 1200 Mode (1800 x 600 dpi), 600 x 600 dpi, 300 x 300 dpi	Fine 1200 Mode (1200 x 1200 dpi), Fast 1200 Mode (1800 x 600 dpi), 600 x 600 dpi, 300 x 300 dpi	Fast 1200 Mode (1800 x 600 dpi), 600 x 600 dpi, 300 x 300 dpi	Fast 1200 Mode (1800 x 600 dpi), 600 x 600 dpi, 300 x 300 dpi	Fast 1200 Mode (1800 x 600 dpi) 600 x 600 dpi	Fast 1200 Mode (1800 x 600 dpi) 600 x 600 dpi
First Page Out	Copy – 6.9 sec. Print – 7 sec.	Copy – 7 sec. Print – 9.5 sec.	Copy – 7 sec. Print – 11.5 sec.	Copy – 7 sec. Print – 11.5 sec.	Copy – 7.8 sec. Print – 8 sec.	Copy – 7.8 sec. Print – 8 sec.
Max. Mthly Duty Cycle	50,000 pages	200,000 pages	200,000 pages	200,000 pages	N/A	N/A
Std. / Max. Memory	256MB / 768MB	256MB / 768MB	1GB / 2GB	1GB / 2GB	1GB / 2GB	1GB / 2GB
Optional HDD	N/A	N/A	N/A	N/A	N/A	N/A
Control Panel	LCD Display	LCD Display	Color Touchscreen	Color Touchscreen	Color Touchscreen	Color Touchscreen
Emulations	PRESCRIBE, PCL6 (PCL XL, PCL5e,PJL), KPDL3 (PS3), Diablo 630, IBM ProPrinter X24, Epson LQ850, Line Printer, XPS	PRESCRIBE, PCL6 (PCL XL, PCL5e,PJL), KPDL3 (PS3), Diablo 630, IBM ProPrinter X24, Epson LQ850, Line Printer, XPS, PDF 1.5	PRESCRIBE, PCL6 (PCL XL, PCL5e), KPDL3 (PS3), Diablo 630, IBM ProPrinter X24, Epson LQ850, Line Printer, XPS, PDF 1.5	PRESCRIBE, PCL6 (PCL XL, PCL5e), KPDL3 (PS3), Diablo 630, IBM ProPrinter X24, Epson LQ850, Line Printer, XPS, PDF 1.5	PRESCRIBE, PCL6 (PCL XL, PCL5e), KPDL3 (PS3), XPS	PRESCRIBE, PCL6 (PCL XL, PCL5e), KPDL3 (PS3), XPS
Interface(s)	Standard 10/100BaseTX Network Interface, Full-Speed USB v2.0, Full USB Host Printing	Standard 10/100BaseTX Network Interface, Full-Speed USB v2.0, Full USB Host Printing	Standard 10/100/1000BaseTX Network Interface, Full-Speed USB v2.0, Full USB Host Printing	Standard 10/100/1000BaseTX Network Interface, Full-Speed USB v2.0, Full USB Host Printing	Standard 10/100/1000BaseTX High Speed USB 2.0, USB Host (2)	Standard 10/100/1000BaseTX High Speed USB 2.0, USB Host (2)
Additional Interface / Features(s)	Standard Color / Mono Scanning Capability (Scan to PC, Scan to Email, Scan to FTP, Scan to USB, TWAIN Scan, WSD Scan) Standard Mono Faxing Capability – 1135MFP	Standard Color / Mono Scanning Capability (Scan to PC, Scan to Email, Scan to FTP, Scan to USB, TWAIN Scan, WSD Scan) Standard Mono Faxing Capability	Standard Color / Mono Scanning Capability (Scan to PC, Scan to Email, Scan to FTP, Scan to USB, Network TWAIN/WIA Scan, WSD Scan) HyPAS Capable* - optional 4GB Compact Flash card required	Standard Color / Mono Scanning Capability (Scan to PC, Scan to Email, Scan to FTP, Scan to USB, Network TWAIN/WIA Scan, WSD Scan) Standard Mono Faxing Capability HyPAS Capable* - optional 4GB Compact Flash card required	Standard Color / Mono Scanning Capability (Scan to PC, Scan to Email, Scan to FTP, Scan to USB, Network TWAIN/WIA Scan, WSD Scan) HyPAS Capable* - optional 4GB Compact Flash card required	Standard Color / Mono Scanning Capability (Scan to PC, Scan to Email, Scan to FTP, Scan to USB, Network TWAIN/WIA Scan, WSD Scan) HyPAS Capable* - optional 4GB Compact Flash card required
Standard Paper Source	50 Sheet Automatic Document Feeder 250 x 1 Paper Cassette	50 Sheet Automatic Document Feeder 500 x 1 Paper Cassette	50 Sheet Automatic Document Feeder 500 x 1 Paper Cassette	50 Sheet Automatic Document Feeder 500 x 1 Paper Cassette	50 Sheet Automatic Document Feeder 500 x 1 Paper Cassette	50 Sheet Automatic Document Feeder 500 x 1 Paper Cassette
Multi Purpose Tray	50	100	100	100	100	100
Max Paper	800	2,100	2,100	2,100	1,600	1,600
Duplex	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Paper Sizes	Letter, Legal, Custom	Letter, Legal, Custom	Letter, Legal, Custom	Letter, Legal, Custom	Letter, Legal, Ledger, Custom	Letter, Legal, Ledger, Custom
Paper Weights: Drawer	16-32 lb.	16-32 lb.	16-32 lb.	16-32 lb.	16-43 lb.	16-43 lb.
Paper Weights: MPT	16-120 lb	16-120 lb	16-120 lb	16-120 lb	16-140 lb.	16-140 lb.
Options	PF-120 250 Sheet Paper Drawer (up to two additional)	PF-310+ 500 Sheet Paper Drawer (up to three additional)	PF-310+ 500 Sheet Paper Drawer (up to three additional) 4GB Compact Flash card (*required for use of HyPAS application(s))	PF-310+ 500 Sheet Paper Drawer (up to three additional) 4GB Compact Flash card (*required for use of HyPAS application(s))	PF-471 500 x 2 Sheet Drawer PF-470 500 Sheet + Cabinet Drawer DF- 470 Document Finisher AK-470 Bridge Unit, IB-50 GB NIC, Card Authentication B, Card Reader Holder B, Fax System U	PF-471 500 x 2 Sheet Drawer PF-470 500 Sheet + Cabinet Drawer DF- 470 Document Finisher AK-470 Bridge Unit, IB-50 GB NIC, Card Authentication B, Card Reader Holder B, Fax System U
Warranty	1 Year Parts Only	1 Year Parts Only	1 Year Parts Only	1 Year Parts Only	1 Year Parts Only	1 Year Parts Only
Toner Yield – 5 %	7,200 Prints	15,000 Prints	15,000 Prints	15,000 Prints	15,000 Prints	15,000 Prints
Maintenance Kit Cycle	100,000 Prints	300,000 Prints	300,000 Prints	300,000 Prints	300,000 Prints	300,000 Prints
Size (W x D x H)	19.4"W x 16.9"D x 17.6"H	19.5"W x 19.6"D x 21.5"H	19.5"W x 19.6"D x 22.3"H	19.5"W x 19.6"D x 22.3"H	23.3"W x 23.3"D x 27.3"H	23.3"W x 23.3"D x 27.3"H
Weight (lbs.)	40	57	58	58	115	115

The RedStart Company
7136 S. Indianapolis Ave
Tulsa, OK 74136
(888) 690-8558



Model	FS-C2126 MFP+	FS-C2526 MFP	FS-C2626 MFP	FS-C8520 MFP	FS-C8525 MFP
Output Color	Color (Copy, Print, Scan) Mono (Fax)	Color (Copy, Print, Scan)	Color (Copy, Print, Scan) Mono (Fax)	Color (Copy, Print, Scan) Mono (Fax)	Color (Copy, Print, Scan) Mono (Fax)
Maximum Speed	28/28 Letter, 23/23 Legal	28/28 Letter, 23/23 Legal	28/28 Letter, 23/23 Legal	20/20 Letter, 10/9 Legal	25/25 Letter, 13/10 Legal
Processor	PowerPC464/667 MHz	PowerPC464/800 MHz	PowerPC464/800 MHz	PowerPC464/800 MHz	PowerPC464/800 MHz
Resolution	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
First Page Out	Black / Color Copy – 10/12 sec. Black / Color Print – 9/10.5 sec.	Black / Color Copy – 10/12 sec. Black / Color Print – 9/10.5 sec.	Black / Color Copy – 10/12 sec. Black / Color Print – 9/10.5 sec.	Black / Color Copy – 11.7/13/6 sec. Black / Color Print – 11/14 sec.	Black / Color Copy – 11.7/13.6 sec. Black / Color Print – 10/12 sec.
Max. Mthly Duty Cycle	65,000 Pages	65,000 Pages	65,000 Pages		
Std. / Max. Memory	768MB / 1792MB	1GB / 2GB	1GB / 2GB	1.5 GB / 2GB	1.5 GB / 2 GB
Optional HDD	N/A	N/A	N/A	N/A	N/A
Control Panel	LCD Display	Color Touchscreen	Color Touchscreen	Color Touchscreen	Color Touchscreen
Emulations	PRESRIBE, PCL6 (PCL 5C, PCL XL), PS3 Emulation, XPS	PRESRIBE, PCL6 (PCL 5C, PCL XL), PS3 Emulation, XPS, Novell Print	PRESRIBE, PCL6 (PCL 5C, PCL XL), PS3 Emulation, XPS, Novell Print	PRESRIBE, PCL6 (PCL XL and 5c), KPDL3 (PS3), XPS	PRESRIBE, PCL6 (PCL XL and 5c), KPDL3 (PS3), XPS
Interface(s)	Standard 10/100BaseTX, High Speed USB v2.0, USB Host Interface	Standard 10/100/1000BaseTX Network Interface, Full-Speed USB v2.0, Full USB Host Printing	Standard 10/100/1000BaseTX Network Interface, Full-Speed USB v2.0, Full USB Host Printing	Standard 10/100/1000 BaseTX High Speed USB 2.0, USB Host (2)	Standard 10/100/1000 BaseTX High Speed USB 2.0, USB Host (2)
Additional Interface / Features(s)	Standard Color / Mono Scanning Capability (Scan to PC, Scan to Email, Scan to FTP, TWAIN Scan, WSD Scan) Standard Mono Faxing Capability	Standard Color / Mono Scanning Capability (Scan to PC, Scan to Email, Scan to FTP, Scan to USB, Network TWAIN/WIA Scan, WSD Scan) HyPAS Capable* - optional 4GB Compact Flash card required	Standard Color / Mono Scanning Capability (Scan to PC, Scan to Email, Scan to FTP, Scan to USB, Network TWAIN/WIA Scan, WSD Scan) Standard Mono Faxing Capability HyPAS Capable* - optional 4GB Compact Flash card required	Standard Color / Mono Scanning Capability (Scan to PC, Scan to Email, Scan to FTP, Scan to USB, Network TWAIN/WIA Scan, WSD Scan) HyPAS Capable* - optional 4GB Compact Flash card required	Standard Color / Mono Scanning Capability (Scan to PC, Scan to Email, Scan to FTP, Scan to USB, Network TWAIN/WIA Scan, WSD Scan) HyPAS Capable* - optional 4GB Compact Flash card required
Standard Paper Source	50 Sheet Automatic Document Feeder 250 x 1 Paper Cassette	50 Sheet Automatic Document Feeder 250 x 1 Paper Cassette	50 Sheet Automatic Document Feeder 250 x 1 Paper Cassette	500 Sheet Drawer 100 Sheet Multipurpose Tray	500 Sheet Drawer 100 Sheet Multipurpose Tray
Multi Purpose Tray	50	50	50	100	100
Max Paper	1,300	1,300	1,300	1,600	1,600
Duplex	Automatic	Automatic	Automatic	Automatic	Automatic
Paper Sizes	Letter, Legal, Custom	Letter, Legal, Custom	Letter, Legal, Custom	Letter, Legal, Custom	Letter, Legal, Custom
Paper Weights: Drawer	16-90 lb.	16-90 lb.	16-90 lb.	16-140 lb.	16-140 lb.
Paper Weights: MPT	16-120 lb	16-120 lb	16-120 lb	16-140 lb.	16-140 lb.
Options	PF-520/530 Paper Drawer (max 2)	PF-520/530 Paper Drawer (max 2) IB-50 Gigabit Ethernet NIC 4GB Compact Flash card (*required for use of HyPAS application(s))	PF-520/530 Paper Drawer (max 2) IB-50 Gigabit Ethernet NIC 4GB Compact Flash card (*required for use of HyPAS application(s))	PF-471 500 x 2 Sheet Drawer PF-470 500 Sheet + Cabinet Drawer DF- 470 Document Finisher AK-470 Bridge Unit, IB-50 GB NIC, card authentication B, Card Reader Holder B, Fax System U	PF-471 500 x 2 Sheet Drawer PF-470 500 Sheet + Cabinet Drawer DF- 470 Document Finisher AK-470 Bridge Unit, IB-50 GB NIC, card authentication B, Card Reader Holder B, Fax System U
Warranty	1 Year Parts Only	1 Year Parts Only	1 Year Parts Only	1 Year Parts Only	1 Year Parts Only
Toner Yield – 5%	Black - 7,000 Prints Colors – 5,000 Prints	Black - 7,000 Prints Colors – 5,000 Prints	Black - 7,000 Prints Colors – 5,000 Prints	Black- 12,000 Prints Color- 6,000 Prints	Black- 12,000 Prints Color- 6,000 Prints
Maintenance Kit Cycle	200,000 Prints	200,000 Prints	200,000 Prints	200,000 Prints	200,000 Prints
Size (W x D x H)	20.3"W x 21.7"D x 22.9"H	20.3"W x 21.7"D x 22.9"H	20.3"W x 21.7"D x 22.9"H	23.3"W x 23.3" D x 29.5"H	23.3"W x 23.3" D x 29.5"H
Weight (lbs.)	81	81	81	176	176